

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 01:14 pm

**PWS ID:** UTAH29086      **Name:** PINE VIEW HOMEOWNERS ASSOCIATION

**Legal Contact:** PINE VIEW HOA      **Rating:** Not Approved  
JERRY L HILL      **Rating Date:** 09/02/2008

**Address:** 866 7TH ST      **Activity Status:** Active  
OGDEN, UT 84404

**Phone Number:** 801-603-5140

**City Served (Area):**

**County:** WEBER COUNTY

**System Type:** Non-community      **Last Inv Update:** 05/18/2010      **Avg Daily Prod:**

**Activity Status Cd:** Active      **Last Snty Srv Dt:** 09/24/2009      **Total Dsgn Cap:**

**Population:** 95      **Surveyor:** LEE RICHARD PETER      **Total Emerg Cap:**

**Oper Period:** 5/1 to 11/30

**Gal/Day    Gal/Min**

### Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	07/01/2010		5/1	11/30	COLIFORM (TCR)

### Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID ☒ Facility Name

Analyte Name		Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001	PINE VIEW SPRING		Activity Status: A		Sample Label: UTAH29086 WS001	
	NITRATE	1	Routine	Year	04/11/2011	01/01/2012-12/31/2012
	SULFATE	1	Routine	3Y	04/11/2011	01/01/2014-12/31/2016
	E. COLI	1	Routine	MN		06/01/2011-06/30/2011